

Prairie Naturalist Supplemental File

Evans, E., J. Ascher, D.P. Cariveau, and M. Spivak. 2022. A Century of Change for Prairie Bees and Their Floral Associations. *Prairie Naturalist Special Issue 1*:78–102

Table S1. Type specimens collected by O. A. Stevens

Table S2. Abundances of bee species present in digitized museum specimens, a modern ecological collection, and photographic records from public biodiversity portals. Specimens from 1910-1920 were collected by O.A. Stevens between 1910 and 1920 using netting. We collected specimens from 2010 to 2012 using netting, bowl traps, and trap nests. Public biodiversity portal records from 2012 to 2021 were gathered from iNaturalist and Bumble Bee Watch. * denotes species not native to North Dakota.

Table S3. Abundance and species richness of bee species associated with host plant species. Specimens from 1910-1920 were collected by O.A. Stevens using netting. We collected specimens from 2010 to 2012 using netting. * denotes species not native to North Dakota.

Note: the content of supplemental files is not subject to proof editing by the journal staff. Thus, the responsibility for the accuracy of all information and correctness of its presentation in this file lies solely with the author(s).

office@eaglehill.us ... www.eaglehill.us/prna

Table S2. Abundances of bee species present in digitized museum specimens, a modern ecological collection, and photographic records from public biodiversity portals. Specimens from 1910-1920 were collected by O.A. Stevens between 1910 and 1920 using netting. We collected specimens from 2010 to 2012 using netting, bowl traps, and trap nests. Public biodiversity portal records from 2012 to 2021 were gathered from iNaturalist and Bumble Bee Watch. * denotes species not native to North Dakota.

Family	Genus	Species	Author	1910-1920		2010-2012			2012-2021 public	
				100 km	200 km	netting	bowl	trapnest		
Mellitidae	<i>Macropis</i>	<i>nuda</i>	(Provancher, 1882)	1	39					
Colletidae	<i>Colletes</i>	<i>aberrans</i>	Cockerell, 1897		3					
	<i>americanus</i>	Cresson, 1868			4					
	<i>brevicornis</i>	Robertson, 1897		2	4		2			
	<i>hyalinus</i>	Provancher, 1888			1					
	<i>impunctatus</i>	Nylander, 1852			1					
	<i>kincaidii</i>	Cockerell, 1898			19	9	1			
	<i>latitarsis</i>	Robertson, 1891			1					
	<i>lutzi</i>	Timberlake, 1943				1				
	<i>phacelliae</i>	Cockerell, 1906		1	6					
	<i>robertsonii</i>	DallaTorre, 1893		1	1					
	<i>rufocinctus</i>	Cockerell, 1929		13	61	1				
	<i>simulans</i>	Cresson, 1868		1	8					
	<i>willistoni</i>	Robertson, 1891			2					
	<i>Hylaeus</i>	<i>affinis</i> group			36	117	56			
	<i>annulatus</i>	(Linnaeus, 1758)		1	29					
	<i>basalis</i>	(Smith, 1853)			10					
	<i>leptocephalus</i> *	(Morawitz, 1870)			54	8	1	565		
	<i>mesillae</i>	(Cockerell, 1896)		3	29	97	4			
	<i>modestus</i> group				46	2	3		6	
	<i>nelumbonis</i>	(Robertson, 1890)					1			
	<i>rudbeckiae</i>	(Cockerell and Casad, 1895)				2				
	<i>verticalis</i>	(Cresson, 1869)			17					
	Andrenidae	<i>Andrena</i>	<i>accepta</i>	Viereck, 1916			3			
		<i>asteris</i>	Robertson, 1891			1				
		<i>barbilabris</i>	(Kirby, 1802)			1	3	1		
		<i>brevipalpis</i>	Cockerell, 1930			6				
		<i>canadensis</i>	DallaTorre, 1896			5	4	1		
<i>chromotricha</i>		Cockerell, 1899		2	42	13	6			
<i>commoda</i>		Smith, 1879			18	13	11			
<i>crataegi</i>		Robertson, 1893			1				1	
<i>cressonii</i>		Robertson, 1891		1	1					
<i>dunningi</i>		Cockerell, 1898			1				6	
<i>erythrogaster</i>		(Ashmead, 1890)		2	7	2				
<i>forbesii</i>		Robertson, 1891			4	2				
<i>fragilis</i>		Smith, 1853			1					
<i>frigida</i>		Smith, 1853			2					
<i>geranii</i>		Robertson, 1891			19					
<i>haynesi</i>		Viereck and Cockerell, 1914			5					
<i>helianthi</i>		Robertson, 1891		5	27	11	3			
<i>hippotes</i>		Robertson, 1895			14	2	1			
<i>hirticincta</i>		Provancher, 1888		5	27	5				
<i>illinoiensis</i>		Robertson, 1891				3				
<i>lupinorum</i>		Cockerell, 1906			6	8	10			
<i>macoupinensis</i>		Robertson, 1900				1				
<i>mariae</i>		Robertson, 1891		1	2		1			
<i>medionitens</i>		Cockerell, 1902				40	4			
<i>milwaukeeensis</i>		Graenicher, 1903			2				11	
<i>miranda</i>		Smith, 1879		2	43					
<i>nigrae</i>		Robertson, 1905		1	4					
<i>nivalis</i>		Smith, 1853			9	3	3			
<i>nubecula</i>		Smith, 1853		1	44	14	1			
<i>quintilis</i>		Robertson, 1898		1	2	1				
<i>robervalensis</i>		Mitchell, 1960		4	14		1			
<i>rugosa</i>		Robertson, 1891				1				
<i>salictaria</i>		Robertson, 1905				1				
<i>specularia</i>		Donovan, 1977				2				
<i>thaspiae</i>		Graenicher, 1903			3	16	9			
<i>virginiana</i>		Mitchell, 1960			2	1				
<i>wheeleri</i>		Graenicher, 1904			7					
<i>wilkella</i> *		(Kirby, 1802)				17	3		2	
<i>w-scripta</i>		Viereck, 1904				2				
<i>ziziae</i>		Robertson, 1891		2	42	1				
<i>undetermined</i>					1	3	1			
<i>Calliopsis</i>		<i>andreniformis</i>	Smith, 1853		2		1			
<i>coloradensis</i>		Cresson, 1878		13	30	2				
<i>nebraskensis</i>	Crawford, 1902		14	14	1					
<i>albipennis</i>	Cresson, 1868				1			1		
<i>bruneri</i>	Cockerell, 1897		47	59	39	1				
<i>laticincta</i>	Swenk and Cockerell, 1907			10						
<i>perpallida</i>	Cockerell, 1901			9				1		
<i>swenki</i>	Crawford, 1915		27	27						
<i>tridentata</i>	Stevens, 1919			11						
<i>Pseudopanurgus</i>	<i>aestivalis</i>	(Provancher, 1882)	8	21	4	1				
<i>albitarsis</i>	(Cresson, 1864)				9	6				
<i>andrenoides</i>	(Smith, 1853)			19						

	<i>Pseudopanurgus dakotensis</i>	(Timberlake, 1977)					1		
	<i>Pseudopanurgus labrosus</i>	(Robertson, 1895)					1		
	<i>Pseudopanurgus parvus</i>	(Robertson, 1892)	6	11					
	<i>Pseudopanurgus piercei</i>	(Crawford, 1903)	4	13				1	
	<i>Pseudopanurgus renimaculatus</i>	(Cockerell, 1896)	3	42			9		
	<i>Pseudopanurgus rudbeckiae</i> group						7	1	
	<i>Pseudopanurgus simulans</i>	(Swenk and Cockerell, 1907)		27			24	26	
Megachilidae	<i>Ashmeadiella bucconis bucconis</i>	(Say, 1837)	1	2			1		
	<i>Anthidium manicatum</i> *	(Linnaeus, 1758)							2
	<i>Coelioxys funerarius</i>	Smith, 1854		3					
	<i>Coelioxys moestus</i>	Cresson, 1864		6				1	
	<i>Coelioxys rufitarsis</i>	Smith, 1854	4	17					1
	<i>Heriades carinata</i>	Cresson, 1864	1	21		3			38
	<i>Heriades variolosa</i>	(Cresson, 1872)		1					32
	<i>Hoplitis pilosifrons</i>	(Cresson, 1864)	5	10		7	34		
	<i>Hoplitis producta</i>	(Cresson, 1864)		28		5	22		
	<i>Hoplitis spoliata</i>	(Provancher, 1888)		1					2
	<i>Megachile brevis</i>	Say, 1837	8	19		5	2		
	<i>Megachile centuncularis</i>	(Linnaeus, 1758)	6	17		1		169	
	<i>Megachile frigida</i>	Smith, 1853		3					
	<i>Megachile inermis</i>	Provancher, 1888		3		3	4		1
	<i>Megachile latimanus</i>	Say, 1823	13	60		7	5		22
	<i>Megachile melanophaea</i>	Smith, 1853		1					
	<i>Megachile mendica</i>	Cresson, 1878		2					1
	<i>Megachile montivaga</i>	Cresson, 1878		1					1
	<i>Megachile pugnata</i>	Say, 1837	2	2					
	<i>Megachile relativa</i>	Cresson, 1878		57		1	1	177	
	<i>Megachile rotundata</i> *	(Fabricius, 1787)						2	
	<i>Megachile texana</i>	Cresson, 1878		1					
	<i>Osmia cyaneonitens</i>	Cockerell, 1906						2	
	<i>Osmia illinoensis</i>	Robertson, 1897						1	
	<i>Osmia simillima</i>	Smith, 1853	1	8					
	<i>Stelis coarctatus</i>	Crawford, 1916		4					
	<i>Stelis labiata</i>	(Provancher, 1888)		2					
	<i>Stelis lateralis</i>	Cresson, 1864		13		1	2		
Halictidae	<i>Agapostemon femoratus</i>	Crawford, 1901				1			
	<i>Agapostemon sericeus</i>	(Förster, 1771)		8					
	<i>Agapostemon splendens</i>	(Lepeletier, 1841)		10					
	<i>Agapostemon texanus</i>	Cresson, 1872	4	4		23	275		
	<i>Agapostemon virescens</i>	(Fabricius, 1775)	3	8		39	258		11
	<i>Augochlorella aurata</i>	(Smith, 1853)		27			15		
	<i>Dieunomia triangulifera</i>	(Vachal, 1897)				2	1		
	<i>Dufourea marginata</i>	(Cresson, 1878)				43	65		1
	<i>Dufourea maura</i>	(Cresson, 1878)					1		
	<i>Halictus confusus</i>	Smith, 1853		3		172	1358		4
	<i>Halictus ligatus</i>	Say, 1837	20	67		35	30		1
	<i>Halictus parallelus</i>	Say, 1837				2	2		
	<i>Halictus rubicundus</i>	(Christ, 1791)	4	52		15	91		10
	<i>Lasioglossum aberrans</i>	(Crawford, 1903)					1		
	<i>Lasioglossum acuminatum</i>	McGinley, 1986				3	16		
	<i>Lasioglossum admirandum</i>	(Sandhouse, 1924)				60	461		
	<i>Lasioglossum albipenne</i>	(Robertson, 1890)	8	59		135	1137		
	<i>Lasioglossum athabascense</i>	(Sandhouse, 1933)		2					
	<i>Lasioglossum cinctipes</i>	(Provancher, 1888)				2	1		
	<i>Lasioglossum coriaceum</i>	(Smith, 1853)		7					
	<i>Lasioglossum divergens</i>	(Lovell, 1905)		16					
	<i>Lasioglossum cf. ellisiae</i>					16	48		
	<i>Lasioglossum cf. ephialtum</i>					22	93		
	<i>Lasioglossum foxii</i>	(Robertson, 1895)		6		1	1		
	<i>Lasioglossum imitatum</i>	(Smith, 1853)	1	22		11	2		
	<i>Lasioglossum incompletum</i>	(Walker, 1986)					2		
	<i>Lasioglossum laevisimum</i>	(Smith, 1853)		37		4	3		
	<i>Lasioglossum leucocomum</i>	Lovel, 1908	6	10					
	<i>Lasioglossum leucozonium</i> *	(Schrank, 1781)				13	46		
	<i>Lasioglossum lineatulum</i>	(Crawford, 1906)	1	6		16	14		
	<i>Lasioglossum lusorium</i>	(Cresson, 1872)					4		
	<i>Lasioglossum macoupinense</i>	(Robertson, 1895)				4	2		
	<i>Lasioglossum cf. novascotiae</i>					215	1602		
	<i>Lasioglossum occidentale</i>	(Crawford, 1902)				5	24		
	<i>Lasioglossum packeri</i>	Gibbs, 2010				5	2		
	<i>Lasioglossum paraforbesii</i>	McGinley, 1986	4	30		33	399		
	<i>Lasioglossum pectorale</i>	(Smith, 1853)	24	41		15	38		
	<i>Lasioglossum cf. perdifficile</i>					1			
	<i>Lasioglossum perpunctatum</i>	(Ellis, 1913)	17	54		35	48		
	<i>Lasioglossum pictum</i>	(Crawford, 1902)					2		
	<i>Lasioglossum nr. pictum</i>						1		
	<i>Lasioglossum pruinosum</i>	(Robertson, 1892)	5	12		56	1529		
	<i>Lasioglossum sagax</i>	(Sandhouse, 1924)				68	441		
	<i>Lasioglossum semicaeruleum</i>	(Cockerell, 1895)	24	45		212	870		
	<i>Lasioglossum succinipenne</i>	(Ellis, 1913)		15		5	93		
	<i>Lasioglossum swenki</i>	(Crawford, 1906)		19					
	<i>Lasioglossum texanum</i>	(Cresson, 1872)					1		
	<i>Lasioglossum truncatum</i>	(Robertson, 1901)				4	5		
	<i>Lasioglossum versans</i>	(Lovell, 1905)	2	55		13	30		

	<i>Lasioglossum viridatum</i>	(Lovell, 1905)			3	18	
	<i>Lasioglossum zephyrus</i>	(Smith, 1853)	35		11	2	
	<i>Lasioglossum zonulum*</i>	(Smith, 1848)			14	871	
	<i>Lasioglossum undetermined</i>				9	30	
	<i>Sphecodes</i> cf. <i>atlantis</i>				3		
	<i>Sphecodes confertus</i>	Say, 1837			1		
	<i>Sphecodes coronus</i>	Mitchell, 1956			4	13	
	<i>Sphecodes cressonii</i> group				3		
	<i>Sphecodes davisii</i>	Robertson, 1897	1				
	<i>Sphecodes dichrous</i>	Smith, 1853	1		3		
	<i>Sphecodes prosphorus</i>	Lovell and Cockerell, 1907			2		
	<i>Sphecodes ranunculi</i> group		2		2		
Apidae	<i>Anthophora bombooides</i>	Kirby, 1837				1	
	<i>Anthophora terminalis</i>	Cresson, 1869				4	
	<i>Anthophora walshii</i>	Cresson, 1869			2	1	
	<i>Bombus affinis</i>	Cresson, 1863	1				
	<i>Bombus ashtoni</i>	(Cresson, 1864)	1	49			1
	<i>Bombus auricomus</i>	(Robertson, 1903)	1	7			65
	<i>Bombus bimaculatus</i>	Cresson, 1863			12	4	
	<i>Bombus borealis</i>	Kirby, 1837	4	55	12	17	26
	<i>Bombus citrinus</i>	(Smith, 1854)	1	23			1
	<i>Bombus fervidus</i>	(Fabricius, 1798)	14	78	9	48	15
	<i>Bombus griseocollis</i>	(De Geer, 1773)	6	51	83	28	51
	<i>Bombus huntii</i>	Greene, 1860	10		17	8	17
	<i>Bombus impatiens</i>	Cresson, 1863					11
	<i>Bombus nevadensis</i>	Cresson, 1874		2			5
	<i>Bombus pensylvanicus</i>	(De Geer, 1773)		19			1
	<i>Bombus perplexus</i>	Cresson, 1863		2			1
	<i>Bombus rufocinctus</i>	Cresson, 1863	3	35	6	3	4
	<i>Bombus ternarius</i>	Say, 1837	6	76	35	18	30
	<i>Bombus terricola</i>	Kirby, 1837	4	119	1		12
	<i>Bombus vagans</i>	Smith, 1854	1	43	10	2	31
	<i>Bombus variabilis</i>	(Cresson, 1872)		1			
	<i>Ceratina calcarata</i>	Robertson, 1900	1	7		2	
	<i>Ceratina mikmaqi</i>	Rehan and Sheffield, 2011		49	116	192	
	<i>Epeoloides pilosulus</i>	(Cresson, 1879)		2			
	<i>Eucera hamata</i>	(Bradley, 1942)				1	
	<i>Hesperapis carinata</i>	Stevens, 1919		19			
	<i>Holcopasites heliopsis</i>	(Robertson, 1897)	1	6	2		
	<i>Holcopasites pulchellus</i>	(Cresson, 1878)	1	5			
	<i>Holcopasites stevensi</i>	Crawford, 1915	1	3			
	<i>Melissodes agilis</i>	Cresson, 1879	2	4	63	381	
	<i>Melissodes bidentis</i>	Cockerell, 1914		9			
	<i>Melissodes bimaculatus</i>	(Lepelletier, 1825)				5	12
	<i>Melissodes communis</i>	Cresson, 1879		1			
	<i>Melissodes confusus</i>	Cresson, 1879	1	2	1		
	<i>Melissodes coreopsis</i>	Robertson, 1905	3	5		2	
	<i>Melissodes denticulatus</i>	Smith, 1854		23			
	<i>Melissodes desponsus</i>	Smith, 1854	1	7			1
	<i>Melissodes druriellus</i>	(Kirby, 1802)	1	23	1	1	
	<i>Melissodes grindelliae</i>	Cockerell, 1898		1			
	<i>Melissodes illatus</i>	Lovell and Cockerell, 1906			4	3	
	<i>Melissodes lutulentus</i>	LaBerge, 1961	1	1			
	<i>Melissodes menuachus</i>	Cresson, 1868	2	2		1	
	<i>Melissodes niveus</i>	Robertson, 1895				1	
	<i>Melissodes pallidesignatus</i>	Cockerell, 1905		1			
	<i>Melissodes perlusus</i>	Cockerell, 1925	4	4		2	
	<i>Melissodes rivalis</i>	Cresson, 1872	1	12	1	8	
	<i>Melissodes snowii</i>	Cresson, 1879		1			
	<i>Melissodes subagilis</i>	Cockerell, 1905	2	2			
	<i>Melissodes subillatus</i>	LaBerge, 1961		1	8	11	
	<i>Melissodes trinodis</i>	Robertson, 1901	1		232	506	1
	<i>Melissodes vernoniae</i>	Robertson, 1902		1			
	<i>Melissodes wheeleri</i>	Cockerell, 1906	4	4			
	<i>Melissodes undetermined</i>				3	2	
	<i>Nomada aquilarum</i>	Cockerell, 1903			2		
	<i>Nomada articulata</i>	Smith, 1854	1	4	1	8	
	<i>Nomada bethunei</i>	Cockerell, 1903			1		
	<i>Nomada cuneata</i>	(Robertson, 1903)			2	1	
	<i>Nomada denticulata</i>	Robertson, 1902				1	
	<i>Nomada subrubi</i>	Swenk, 1915		2			
	<i>Nomada vegana</i>	Cockerell, 1903	1	1			
	<i>Nomada vicina</i>	Cresson, 1863		2			
	<i>Nomada vincta</i>	Say, 1837	1	3		7	1
	<i>Nomada "bidentate" group</i>				3	1	
	<i>Svastra obliqua</i>	(Say, 1837)			1		
	<i>Triepeolus cressonii</i>	(Robertson, 1897)	1	3			
	<i>Triepeolus helianthi</i>	(Robertson, 1897)		3	8		
	<i>Triepeolus lunatus</i>	(Say, 1824)					1
	<i>Triepeolus remigatus</i>	(Fabricius, 1804)					1

Table S3. Abundance and species richness of bee species associated with host plant species. Specimens from 1910-1920 were collected by O.A. Stevens using netting. We collected specimens from 2010 to 2012 using netting. * denotes species not native to North Dakota.

Plant family	Host plant species	Authority name	1910-1920		2010-2012		
			Bee abundance	Bee species richness	Bee abundance	Bee species richness	
Acanthaceae	<i>Impatiens capensis</i>	Meerb.	5	1	-	-	
	<i>Mirabilis albidia</i>	(Walter) Heimerl	1	1	-	-	
	<i>Mirabilis hirsuta</i>	(Pursh) MacMill.	2	1	-	-	
	<i>Sanguinaria canadensis</i>	L.	9	1	-	-	
Adoxaceae	<i>Viola pubescens</i>	Aiton	8	5	-	-	
	<i>Sambucus canadensis</i>	L.	6	2	-	-	
Amaryllidaceae	<i>Viburnum lentago</i>	L.	1	1	-	-	
	<i>Allium stellatum</i>	Fraser ex Ker Gawl.	9	5	-	-	
Anacardiaceae	<i>Rhus glabra</i>	L.	25	6	-	-	
Apiaceae	<i>Heracleum lanatum</i>	Michx.	5	3	-	-	
	<i>Osmorhiza longistylis</i>	(Torr.) DC.	2	2	-	-	
	<i>Sanicula marilandica</i>	L.	11	10	-	-	
	<i>Zizia aptera</i>	(A. Gray) Fernald	-	-	1	1	
Apocynaceae	<i>Zizia aurea</i>	(L.) W.D.J. Koch	258	35	-	-	
	<i>Zizia</i> sp.	W.D.J. Koch	3	2	16	4	
	<i>Apocynum androsaemifolium</i>	L.	27	10	-	-	
	<i>Apocynum cannabinum</i>	L.	4	2	20	11	
	<i>Asclepias</i> sp.	L.	-	-	4	1	
	<i>Asclepias speciosa</i>	Torr.	3	2	1	1	
	<i>Asclepias syriaca</i>	L.	4	4	-	-	
	<i>Asclepias verticillata</i>	L.	1	1	1	1	
	Asparagaceae	<i>Maianthemum racemosum</i>	(L.) Link	-	-	1	1
		<i>Maianthemum stellatum</i>	(L.) Link	-	-	3	1
Asteraceae	<i>Agoseris glauca</i>	(Pursh) Raf.	1	1	-	-	
	<i>Antennaria</i> sp.	Gaertn.	17	7	-	-	
	<i>Arctium minus</i> *	Bernh.	3	3	-	-	
	<i>Argentina anserina</i>	(L.) Rydb.	6	4	4	2	
	<i>Artemisia absinthium</i> *	L.	-	-	5	1	
	<i>Bidens frondosa</i>	L.	1	1	-	-	
	<i>Bidens vulgata</i>	Greene	1	1	-	-	
	<i>Boltonia asteroides</i>	(L.) L'Her.	4	4	-	-	
	<i>Cyclachaena xanthifolia</i>	(Nutt.)	4	2	-	-	
	<i>Callistephus chinensis</i> *	L.	3	3	-	-	
	<i>Carduus</i> sp. *	L.	1	1	-	-	
	<i>Centaurea cyanus</i> *	L.	4	4	1	1	
	<i>Centaurea jacea</i>	L.	36	20	-	-	
	<i>Centaurea</i> sp.	L.	1	1	-	-	
	<i>Cichorium intybus</i> *	L.	-	-	5	4	
	<i>Cirsium altissimum</i>	(L.) Hill	1	1	-	-	
	<i>Cirsium arvense</i> *	(L.) Scop.	-	-	80	32	
	<i>Cirsium undulatum</i>	(Nutt.) Spreng.	94	23	-	-	
	<i>Cirsium vulgare</i> *	(Savi) Ten.	-	-	55	22	
	<i>Erigeron annuus</i>	(L.) Pers.	-	-	1	1	
	<i>Erigeron philadelphicus</i>	L.	95	27	-	-	
	<i>Erigeron strigosus</i>	Muhl. ex Willd.	-	-	42	15	
	<i>Gaillardia aristata</i>	Pursh	5	5	-	-	
	<i>Grindelia squarrosa</i>	(Pursh) Dunal	375	47	142	31	
	<i>Helianthus annuus</i>	L.	43	14	45	11	
	<i>Helianthus maximiliani</i>	Schrad.	69	20	1	1	
	<i>Helianthus petiolaris</i>	Nutt.	68	11	2	1	
	<i>Helianthus scaberimus</i>	Benth.	2	1	-	-	
	<i>Helianthus</i> sp.	L.	2	1	95	24	
	<i>Helianthus tuberosus</i>	L.	32	17	3	2	
	<i>Helianthus x laetiflorus</i> *	Pers.	7	4	-	-	
	<i>Heliopsis helianthoides</i>	(L.)	6	5	29	8	
	<i>Heterotheca villosa</i>	(Pursh) Shinners	56	9	7	5	
	<i>Hieracium</i> sp.	L.	1	1	-	-	
	<i>Lactuca pulchella</i>	DC.	104	34	-	-	
	<i>Liatris punctata</i>	Hook.	2	2	-	-	
	<i>Liatris scariosa</i>	L.	1	1	-	-	
	<i>Monarda fistulosa</i>	L.	8	6	-	-	
	<i>Nepeta cataria</i>	L.	3	3	-	-	
	<i>Oligoneuron rigidum</i>	L.	9	7	24	19	
	<i>Packera cana</i>	(Hook.) W.A. Weber and A. Love	1	1	-	-	
	<i>Ratibida columnifera</i>	(Nutt.) Wootton & Standl.	36	11	1	1	
	<i>Rudbeckia hirta</i>	L.	1	1	-	-	
	<i>Rudbeckia laciniata</i>	L.	24	8	-	-	
	<i>Senecio integerimus</i>	Nutt.	3	1	-	-	
	<i>Senecio</i> sp.	L.	3	3	-	-	
	<i>Silphium perfoliatum</i>	L.	5	4	-	-	
<i>Solidago canadensis</i>	L.	191	39	12	7		
<i>Solidago gigantea</i>	Aiton	32	13	-	-		
<i>Solidago missouriensis</i>	Nutt.	1	1	-	-		
<i>Solidago</i> sp.	L.	3	3	81	32		
<i>Sonchus arvensis</i> *	L.	14	8	259	49		
<i>Symphotrichum ericoides</i>	(L.) G.L. Nesom	36	19	35	11		
<i>Symphotrichum laeve</i>	(L.) A. Love and D. Love	6	5	-	-		
<i>Symphotrichum lanceolatum</i>	(Willd.) G.L. Nesom	117	30	-	-		
<i>Symphotrichum</i> sp.	Nees	-	-	83	28		
<i>Taraxacum officinale</i> *	F.H. Wigg.	46	24	70	21		
<i>Tragopogon dubius</i> *	Scop.	-	-	2	2		
<i>Vernonia fasciculata</i>	Michx.	35	6	-	-		
<i>Vernonia</i> sp.	Schreb.	1	1	-	-		
Boraginaceae	<i>Hydrophyllum virginianum</i>	L.	59	23	-	-	
	<i>Onosmodium bejariense</i>	DC. ex A. DC. var. occidentale (Mack.) B.L. Turner	2	2	-	-	

Brassicaceae	<i>Berteroa incana</i>	(L.) DC.	-	-	32	13
	<i>Brassica campestris</i>	L.	6	5	-	-
	<i>Brassica juncea</i> *	(L.) Czern.	4	4	-	-
	<i>Brassica nigra</i> *	(L.) W.D.J. Koch	1	1	93	24
	<i>Brassica rapa</i> *	L.	-	-	45	11
	<i>Camelina sativa</i> *	(L.) Crantz	1	1	-	-
	<i>Descurainia pinnata</i>	(Walter) Britton	-	-	7	3
	<i>Erucastrum gallicum</i> *	(Willd.) O.E. Schulz	1	1	-	-
	<i>Erysimum asperum</i>	(Nutt.) DC.	9	4	-	-
	<i>Hesperis matronalis</i> *	L.	-	-	24	1
	<i>Sinapis arvensis</i> *	L.	9	6	1	1
	<i>Sisymbrium altissimum</i> *	L.	5	4	-	-
	<i>Sisymbrium officinale</i> *	(L.) Scop.	-	-	2	2
	<i>Thlaspi arvense</i> *	L.	2	2	8	5
	Campanulaceae	<i>Camelina sativa</i> *	L.	10	4	-
	<i>Lobelia spicata</i>	Lam.	1	1	-	-
Caprifoliaceae	<i>Lonicera</i> sp.	L.	-	-	1	1
	<i>Symphoricarpos occidentalis</i>	Hook.	36	15	9	8
Chenopodiaceae	<i>Chenopodium simplex</i>	(Torr.) Raf.	-	-	1	1
Convolvulaceae	<i>Convolvulus arvensis</i> *	L.	-	-	1	1
	<i>Cuscuta gronovii</i>	Willd. ex Schult.	12	6	-	-
Elaeagnaceae	<i>Shepherdia argentea</i>	(Pursh) Nutt.	4	4	-	-
Euphorbiaceae	<i>Euphorbia esula</i> *	L.	-	-	51	20
Fabaceae	<i>Amorpha canescens</i>	Pursh	33	14	2	2
	<i>Astragalus bisulcatus</i>	(Hook.) A. Gray	1	1	-	-
	<i>Astragalus carolinianus</i>	L.	4	2	-	-
	<i>Astragalus flexuosus</i>	Douglas ex G. Don	2	2	-	-
	<i>Astragalus</i> sp.	L.	1	1	-	-
	<i>Caragana arborescens</i> *	Lam.	-	-	8	4
	<i>Dalea candida</i>	Michx. ex Willd.	11	7	-	-
	<i>Dalea purpurea</i>	Vent.	20	14	-	-
	<i>Dalea villosa</i>	(Nutt.) Spreng.	27	5	-	-
	<i>Dalea</i> sp.	L.	1	1	-	-
	<i>Glycyrrhiza lepidota</i>	Pursh	1	1	-	-
	<i>Lathyrus venosus</i>	Muhl. ex Willd.	9	6	-	-
	<i>Medicago falcata</i> *	L.	1	1	-	-
	<i>Medicago sativa</i> *	L.	31	12	28	15
	<i>Melilotus officinalis</i> *	(L.) Lam.	151	37	422	49
	<i>Mimulus ringens</i>	L.	1	1	-	-
	<i>Pediomelum argophyllum</i>	(Pursh) J. Grimes	-	-	1	1
	<i>Psoralea argophylla</i>	Pursh	1	1	-	-
	<i>Trifolium arvense</i> *	L.	-	-	1	1
	<i>Trifolium hybridum</i> *	L.	3	2	-	-
	<i>Trifolium pratense</i> *	L.	43	11	10	5
	<i>Trifolium repens</i> *	L.	5	3	1	1
	<i>Vicia villosa</i> *	Roth	1	1	-	-
Geraniaceae	<i>Geranium carolinianum</i>	L.	1	1	-	-
Iridaceae	<i>Sisyrinchium angustifolium</i>	Mill.	-	-	3	2
Lamiaceae	<i>Agastache foeniculum</i>	(Pursh) Kuntze	7	5	-	-
	<i>Dracocephalum parviflorum</i>	Nutt.	20	13	1	1
	<i>Physostegia parviflora</i>	Nutt. ex A. Gray	32	18	-	-
	<i>Physostegia</i> sp.	Benth.	1	1	-	-
	<i>Stachys palustris</i>	L.	12	5	7	5
	<i>Teucrium occidentale</i>	A. Gray	3	3	-	-
Linaceae	<i>Linum rigidum</i>	Pursh	9	3	-	-
	<i>Linum usitatissimum</i> *	L.	7	6	-	-
Malvaceae	<i>Tilia americana</i>	L.	1	1	-	-
Oleaceae	<i>Syringa vulgaris</i> *	L.	-	-	2	2
Onagraceae	<i>Calylophus serrulatus</i>	(Nutt.) P.H. Raven	3	2	-	-
	<i>Chamerion angustifolium</i>	(L.) Holub	1	1	-	-
	<i>Epilobium angustifolium</i>	L.	1	1	-	-
	<i>Oenothera biennis</i>	L.	2	2	1	1
	<i>Oenothera villosa</i>	Thunb.	2	2	-	-
Orobanchaceae	<i>Agalinis tenuifolia</i>	(Vahl) Raf.	5	3	-	-
	<i>Castilleja sessiliflora</i>	Pursh	3	2	-	-
Oxalidaceae	<i>Oxalis violacea</i>	L.	6	1	-	-
Plantaginaceae	<i>Linaria vulgaris</i>	Mill.	-	-	13	7
	<i>Penstemon cobaea</i>	Nutt.	1	1	-	-
	<i>Penstemon gracilis</i>	Nutt.	2	1	-	-
Poaceae		L.	-	-	2	2
Polygonaceae	<i>Fagopyrum esculentum</i> *	Moench	-	-	3	2
	<i>Polygonum amphibium</i>	L.	-	-	8	7
	<i>Polygonum convolvulus</i> *	L. var. convolvulus	1	1	-	-
Primulaceae	<i>Lysimachia lanceolata</i>	Walter	7	1	-	-
Ranunculaceae	<i>Anemone canadensis</i>	L.	4	3	11	8
	<i>Clematis virginiana</i>	L.	-	7	-	-
	<i>Pulsatilla patens</i>	(L.) Mill.	10	3	-	-
	<i>Ranunculus macounii</i>	Britton	2	2	-	-
	<i>Ranunculus</i> sp.	L.	1	1	-	-
	<i>Thalictrum dioicum</i>	L.	1	1	-	-
Rosaceae	<i>Fragaria virginiana</i>	Duchesne	-	-	2	2
	<i>Geum aleppicum</i>	Jacq.	1	1	-	-
	<i>Malus</i> sp. *	Mill.	2	2	-	-
	<i>Potentilla arguta</i>	Pursh	6	4	-	-
	<i>Potentilla norvegica</i>	L. ssp. monspeliensis (L.) Asch. & Graebn.	3	2	-	-
	<i>Prunus americana</i>	Marshall	10	7	-	-
	<i>Ribes americanum</i>	Mill.	1	1	-	-
	<i>Rosa arkansana</i>	Porter	18	11	5	4
	<i>Rosa blanda</i>	Aiton	2	2	-	-
	<i>Rosa</i> sp.	L.	1	1	-	-
	<i>Rubus flagellaris</i>	Willd.	9	4	-	-

	<i>Rubus strigosus</i>	Michx.	21	15	-	-
	<i>Spiraea salicifolia</i> *	L.	3	1	-	-
Salicaceae	<i>Salix</i> sp.	L.	217	32	103	25
Scrophulariaceae	<i>Scrophularia lanceolata</i>	Pursh	8	5	-	-
Solanaceae	<i>Physalis philadelphica</i> *	Lam.	27	9	-	-
	<i>Physalis virginiana</i>	Mill.	1	1	-	-
	<i>Solanum dulcamara</i> *	L.	-	-	4	2
Tamaricaceae	<i>Tamarix</i> sp. *	L.	3	2	-	-
Verbenaceae	<i>Verbena hastata</i>	L.	27	10	-	-
	<i>Verbena urticifolia</i>	L.	8	4	-	-